

## SAFETY STATEMENT

This document is only available in English.

### 1. Identification of the substance/preparation and of the company/undertaking

**Product name** FTA Purification Reagent; part of 'FTA Starter Pack'

**Catalogue Number** WB120061



9 0 W B 1 2 0 0 6 1

**Supplier** GE Healthcare UK Ltd  
Amersham Place  
Little Chalfont  
Buckinghamshire HP7 9NA  
England  
+44 0870 606 1921

**Emergency telephone number**  
Swedish Poisons Information Centre :  
+46 (0)8 331 231

**Emergency telephone number**

<b>Europe</b>	<b>USA</b>	<b>Australia</b>
+46 18 612 0000	1-800-424-9300	000 or +61 2 9899 0999

**Person who prepared the MSDS:** msdslifesciences@ge.com

### 3. Composition / information on ingredients

**Substance/Preparation** Preparation

Within the present knowledge of the supplier, this product does not contain any hazardous ingredients in quantities requiring reporting in this section, in accordance with EU or national regulations.

#### Statement of hazardous nature

To the best of our knowledge this substance/preparation is not classified as hazardous according to EU, US or any other known national regulations.

### 9. Physical and chemical properties

**Physical state** Liquid.

**Color** Colorless.

### 16. Other information

#### History

<b>Date of printing</b>	12 February 2009	<b>Date of previous issue</b>	No previous validation
<b>Date of issue</b>	12 February 2009	<b>Version</b>	1

#### Notice to Reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

This is not an MSDS. According to EU and US regulations we are not required to supply an MSDS for a product which is not classified as hazardous.

