

SAFETY DATA SHEET

Page 1 of 4

Permabond CPP621

Revision 0
Revision date

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

Product name Permabond CPP621
Company Permabond Engineering Adhesives Ltd
Wessex Business Park
Wessex Way
Colden Common
Hampshire
SO21 1WP
United Kingdom
Telephone +44 (0)1962 711661
Fax +44 (0)1962 711662
Intended use Detection of fingerprints.

2. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients

	Conc.	CAS	EINECS	Symbols/Risk phrases
Ethyl-2-cyanoacrylate (Ethyl cyanoacrylate)	50 - 100%	7085-85-0	230-391-5	Xi; R36/37/38
1,4-Dihydroxybenzene (Hydroquinone)	0.1 - 1%	123-31-9	204-617-8	Carc Cat 3; R40 Muta Cat 3; R68 Xn; R22 Xi; R41R43 N; R50

3. HAZARDS IDENTIFICATION

Main hazards Irritating to eyes, respiratory system and skin.
Skin contact On contact, immediate bonding of the skin will occur.
Eye contact On contact, will bond eyelids together. Vapours are lachrymatory.
Ingestion On contact, immediate bonding of mouth could occur.
Personal precautions No precautions required to be mentioned.
Environmental precautions No environmental requirements.

4. FIRST AID MEASURES

Skin contact No attempt should be made to remove material from skin or to remove contaminated clothing, as the bonded skin can be easily torn. If symptoms develop, obtain medical attention.
Eye contact Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention. Contact lenses should be removed. Cured adhesive will not bond well to surface of eye, but corneal damage from abrasion may result.
Inhalation Move the exposed person to fresh air. Get medical attention if irritation persists.
Ingestion Immediate medical attention is required.

Permabond CPP621

Revision 0
Revision date

5. FIRE FIGHTING MEASURES

Extinguishing media	Carbon dioxide (CO ₂) , dry chemical.
Fire hazards	Cloths used to wipe up spills may cause rapid polymerization that could generate sufficient heat to ignite the cloth. Decomposes upon heating to release toxic fumes of nitrogen oxides, carbon monoxide, carbon dioxide, and hydrogen cyanide.
Protective equipment	Wear: Self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions	Ensure adequate ventilation of the working area. Wear suitable protective equipment.
Environmental precautions	No environmental requirements.
Clean up methods	Small spills: wipe up with cloth. Immediately soak cloth with water to polymerize the adhesive. Caution! Cloth containing adhesive may undergo autoignition if not soaked with water. Large spills: flood area with water. When cured, remove film with a scraper. Wear approved respirator for organic vapours if needed, and protective clothing.

7. HANDLING AND STORAGE

Handling	Always replace cap after use.
Storage	Keep in a cool, dry, well ventilated area. Keep containers tightly closed.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits

Ethyl-2-cyanoacrylate (Ethyl cyanoacrylate)	WEL 8-hr limit ppm: - WEL 15 min limit ppm: 0.3	WEL 8-hr limit mg/m ³ : - WEL 15 min limit mg/m ³ : 1.5
1,4-Dihydroxybenzene (Hydroquinone)	WEL 8-hr limit ppm: - WEL 15 min limit ppm: -	WEL 8-hr limit mg/m ³ : 0.5 WEL 15 min limit mg/m ³ : -

Engineering measures	Ensure adequate ventilation of the working area. In case of insufficient ventilation, wear suitable respiratory equipment.
Respiratory protection	Wear suitable respiratory equipment when necessary.
Hand protection	Nitrile rubber or Viton™ gloves are recommended. Cotton or other absorbent gloves should not be worn. Gloves should conform to EN 374.
Eye protection	Safety glasses, goggles or face shield to protect against splashing. Personal eye protection should conform to EN 166
Protective equipment	Uniforms, coveralls, or a lab coat should be worn. Wash before eating, drinking, or using toilet facilities.

9. PHYSICAL AND CHEMICAL PROPERTIES

Description	Liquid.
Colour	Colourless.
Odour	Pungent.
Boiling point	>100°C
Flash point	83°C
Relative density	1.05
Water solubility	insoluble in water.
Viscosity	~3 mPa.s

Permabond CPP621

Revision 0
Revision date

10. STABILITY AND REACTIVITY

Stability	Stable under normal conditions.
Conditions to avoid	Direct sunlight. Heat.
Materials to avoid	Water. , amines..
Hazardous decomposition products	Decomposes upon heating to release toxic fumes of nitrogen oxides, carbon monoxide, carbon dioxide, and hydrogen cyanide.

11. TOXICOLOGICAL INFORMATION

Corrosivity	Irritating to eyes, respiratory system and skin.
Sensitization	Under EU legislation the cyanoacrylates do not require classification as sensitisers and the rapid polymerisation caused on contact with moisture makes this unlikely. However the American Conference of Governmental Industrial Hygienists (ACGIH) has reported some limited evidence of skin and respiratory sensitisation. May cause allergic reactions in susceptible people.
Mutagenic effects	None known .
Carcinogenic effects	None known .

12. ECOLOGICAL INFORMATION

Ecotoxicity	No data is available on this product.
--------------------	---------------------------------------

13. DISPOSAL CONSIDERATIONS

General information	Waste disposal should be in accordance with existing Community, National and local regulations.
Disposal of packaging	Empty containers may contain product residue; follow SDS and label warnings even after they have been emptied.

14. TRANSPORT INFORMATION

ADR/RID

UN 3334	Packing group -
Class 9	Hazard ID -
Proper Shipping Name AVIATION REGULATED LIQUID, N.O.S. Contains Ethyl Cyanoacrylate (applies only to inner containers >1 litre)	

IMDG

UN 3334	Packing group -
Class 9	Marine pollutant NO
EmS Code -	


IATA

UN 3334	Packing group -
Class 9	Subsidiary risk -
Packing Instruction 906 (Cargo)	Maximum quantity 220 L
Packing Instruction 906 (Passenger)	Maximum quantity 100 L

Permabond CPP621

Revision 0
Revision date

15. REGULATORY INFORMATION

Labelling	Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.
Symbols	Xi - Irritant 
Risk phrases	R36/37/38 - Irritating to eyes, respiratory system and skin.
Safety phrases	S23 - Do not breathe gas/fumes/vapour/spray. S24/25 - Avoid contact with skin and eyes. S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

16. OTHER INFORMATION

Text of risk phrases in Section 2	R22 - Harmful if swallowed. R36/37/38 - Irritating to eyes, respiratory system and skin. R40 - Limited evidence of a carcinogenic effect. R50 - Very toxic to aquatic organisms. R68 - Possible risk of irreversible effects.
Further information	Directives 1999/45/EC and 91/155/EEC have been considered when compiling this SDS. The information is provided for health and safety assessment by an industrial user. Reference should be made to any relevant local or national health, safety, and environmental legislation. This information does not constitute indication of suitability for specific uses.